EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10588456"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 14:10
S2	2	JP-2002271392-\$.DID. OR JP-8274782-\$.DID. OR JP-8154093-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 14:12
S3	33	koichi near3 ebata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:49
S4	1	S3 and subordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:57
S5	1652	subordinate with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:58
S6	3274	370/349.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:59
S7	7	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 10:59
S8	256090	("370"/.olas. "455"/. clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S9	3274	S6 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03

S10	3267	S9 not S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S11	194	S10 and (virtual with (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:03
S12	154	S11 and (packet with (information address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:04
S13	0	S12 and ((identical) with (subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:05
S14	20	S12 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:05
S15	41971	(virtual adj5 (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:09
S16	18	S8 and S5 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:10
S17	4	S16 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:10
S18	62	S5 and (virtual with (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:13
S19	11	S18 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/19 11:13

S20	6	S5 and (virtual with (lan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:40
S21	1	\$20 and ((subnet sub \$1net))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:41
S22	15	S18 and ((subnet\$5 sub \$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:42
S23	758261	(connection connect connected) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:46
S24	538	S23 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:47
S25	22	\$24 and ((subnet\$5 sub \$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:47
S26	373	(identical with (subnet \$5 sub\$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:54
S27	2	S5 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 11:55
S28	285709	terminal with operation \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:23
S29	137	S5 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:24

S30	5	S29 and ((subnet\$5 sub \$1net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:24
S31	65533	terminal with (active online)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:25
S32	8	S26 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:26
S33	0	S5 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:26
S34	19	S5 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:28
S35	67944	(terminal device ms mobile) with detect\$4 with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:29
S36	114	S5 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:30
S37	1	\$36 and ((subnet\$5 sub \$1 net\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:30
S3 8	1	S36 and (virtual with (lan network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:30
S39	12495	(terminal device ms mobile) with (determin \$4 detect\$4) with (status operation\$3) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:36

S40	30	S5 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:37
S41	38	S6 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:44
S42	38	S41 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:44
S43	4	10/080995	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 12:59
S44	19	subordinate and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 13:49
S45	126	subordinate with ((access adj3 point) (ap))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 13:53
S46	1	S6 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 13:53
S47	8943	(terminal device ms mobile) with (off\$1line offline disconnect\$4) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:54
S48	28	S6 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 14:55
S49	4454	(detect\$4 with status) with ((access adj3 point) (base adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/09/19 15:03

S50	1495	S6 and ((detect\$4 with (operation status)) with terminal with ((access adj3 point) (base) adj3 station) (ap bs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:04
S51	7	S6 and ((detect\$4 with (operation status)) with terminal with ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:04
S52	31	S6 and (updat\$5 with terminal with ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:07
S53	14082212	(updat\$5 with (mobile device wireless terminal) with (disconnect\$5 dis \$1connect\$5 offline off \$1line)((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:19
S54	61	(updat\$5 with (mobile device wireless terminal) with (disconnect\$5 dis \$1connect\$5 offline off \$1line) with ((access adj3 point) (base adj3 station) (ap bs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:20
S55	29	S8 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/19 15:21
S56	6	((access adj3 point) ap) with authenticat\$4 with compar\$4 with (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:14
S57	140	((access adj3 point) ap) with authenticat\$4 with (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:21
S58	17	i((access adj3 point) ap) with authenticat\$4 with regist\$7 with (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:21

S59	25	((access adj3 point) ap) near5 regist\$7 near5 (identification with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:22
S60	26	((access adj3 point) ap) near5 regist\$7 near5 (identification adj3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:23
S61	19	((access adj3 point) ap) near5 authenticat \$5 near5 (identification adj3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:25
S62	10	((access adj3 point) ap) near9 comparing near9 (identification adj3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:28
S63	24	((access adj3 point) ap) near9 comparing near9 stored near9 (information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:30
S64	1	PCT/JP05/02175	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:03
S65	10	JP-2002271392-\$.DID. OR US-2681420-\$.DID. OR JP-08274782-\$. DID. OR US-4101824-\$. DID. OR JP-08154093- \$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/15 16:05
S66	12	SUGIMURA NEAR3 HAJIME	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 16:05
S67	943	((base near3 station) (access near3 point) ap) with address with packet with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:35
S68	4	((base near3 station) (access near3 point) ap) with address with packet with destination with subordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/06/16 10:35

S69	65	((base near3 station) (access near3 point) ap) with address with packet with transfer with information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:39
S70	71	S67 same (subnet subordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:45
S71	222	((base near3 station) (access near3 point) ap) with address with packet with transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:47
S72	4	S71 same (subnet subordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:47
S73	1	((base near3 station) (access near3 point) ap) with retain\$4 with address with packet with transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:50
S74	3	((base near3 station) (access near3 point) ap) with retain\$4 with packet with transfer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:50
S75	65	((base near3 station) (access near3 point) ap) with address with packet with transfer with information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:51
S76	89	((base near3 station) (access near3 point) ap) with address with (packet near2 transfer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:52
S77	1753	(manag\$4 with terminal with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:54
S78	4	S67 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:54

S79	1188	((base near3 station) (access near3 point) ap) with terminal with list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:55
S80	26	S67 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/16 10:55
381	1	((ACCESS NEAR3 POINT) SAME PACKET NEAR3 TRANSFER\$4 SAME PORT).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 13:49
S82	7	((ACCESS NEAR3 POINT) SAME PACKET NEAR3 TRANSFER\$4 SAME DESTINATION). CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 13:49
S83	83	((ACCESS NEAR3 POINT) SAME ((MANAGED MANAGING) NEAR5 LIST\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 13:52
S84	291	(SUBNET SUB\$1NET) NEAR3 (HANDOVER HANDOFF HAND\$10FF HAND\$10VER)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 13:53
S85	3	((ACCESS NEAR3 POINT) SAME PACKET NEAR3 TRANSFER\$4) AND S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 13:54
S86	1	((ACCESS NEAR3 POINT) SAME (DESTINATION NEAR3 TRANSFER\$4)) AND S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 13:54
S87	7	((ACCESS NEAR3 POINT) SAME (DESTINATION NEAR3 TRANSFER\$4)) AND (MANAGED NEAR5 (ACCESS NEAR3 POINT))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08
S88	1	(US-7362742-\$).did.	USPAT	OR	OFF	2010/01/08 14:07

S89	1	S88 AND PORT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:08
S90	1	S88 AND (transfer nera3 destination near3 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:08
S91	0	S88 AND (transfer near3 destination near3 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:08
S92	1	(transfer near3 destination near3 port) same (subnet sub \$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:09
S93	44	(transfer near3 destination near3 port) and (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:09
S94	0	(transfer near3 destination near3 port) and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:10
S95	6	(transfer near3 destination) and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:10
S96	290563	("370"/.clas. "455"/. clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:11
S97	290563	S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:11
S98	267	(transfer near3 destination near3 port) and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/08 14:11

S99	68	(transfer near3 destination near3 port near5 address) and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:11
S100	126	S84 and (destination near3 (port address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:13
S101	28	S84 and ((access near3 point) same (destination near3 (port address)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:13
S102	839	(master slave) near5 (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:31
S103	0	S84 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:31
S104	323	(master) near5 (access near3 point) same slave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:31
S105	225	S96 and S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:32
S106	15	S105 and subnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:32
S107	5	(master) near5 (access near3 point) same slave same (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:32
S108	0	(master) near5 (access near3 point) and (transfer\$4 near5 destination near5 (address port)) and (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:34

S109	14	(master) near5 (access near3 point) and (destination near5 (address port)) and (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:34
S110	2850	(subnet sub\$1net) same destination same (port address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:49
S111	1044	(subnet sub\$1net) near5 destination near5 (port address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:50
S112	25	(subnet sub\$1net) near5 destination near5 transfer\$4 near5 (port address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:50
S113	113	(subnet sub\$1net) near5 destination near5 port near5 (address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:50
S114	1	((subnet sub\$1net) near5 destination near5 port near5 (address)) same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:51
S115	59	((subnet sub\$1net) near5 destination near5 port near5 (address)) and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:51
S116	5	((subnet sub\$1net) near5 destination near5 port near5 (address)) near5 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:52
S117	0	S84 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 14:54
S118	0	S102 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/08 14:54

S119	1	"10588456"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:05
S120	1	S119 and (wireless near3 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:05
S121	1	St 19 and (terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:07
S122	62	(managed near3 terminal near3 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:13
S123	108	((subnet sub\$1net) near3 mapping) same (port address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:52
S124	14	((subnet sub\$1net) near3 mapping) same (port same address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:52
S125	27	((subnet sub\$1net) near3 mapping) and (destination same (port same address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:53
S126	317	((subnet sub\$1net) near3 information) and (destination same (port same address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:57
S127	41	((subnet sub\$1net) near3 information) same (destination same (port same address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 15:57
S128	14	((subnet sub\$1net) near3 mapping near3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 16:22

S129	24	((subnet sub\$1net) near3 mapping near3 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 16:24
S130	8	((subnet sub\$1net) near3 mapping near7 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 16:26
S131	29	((subnet sub\$1net) near3 table near7 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 16:27
S132	1066	((mapping) near3 table near7 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 16:29
S133	94	((mapping) near3 table near7 port near6 destination near3 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/08 16:29
S134	143	mapping near4 table near5 destination near5 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 13:51
S135	15	S134 and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 13:51
S136	18	S134 and (subnet sub \$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 13:54
S137	6872	370/338.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 13:57
S138	0	S134 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/10 13:57

S139	96	S134 and (lan (local near5 network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 13:58
S140	2	(mapping near4 table near5 port) same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:02
S141	6	(destination near4 table near5 port) same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:03
S142	171	(destination near4 table near5 port) and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:03
S143	58	(destination near4 table near5 port) and (access near3 point) and (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:03
S144	30	(destination near4 table near5 port) same (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:06
S145	302	(mobile near3 terminal) same (subnet sub \$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:10
S146	43	(mobile near3 terminal) with locat\$4 with (subnet sub\$1net)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:11
S147	3	(mobile near3 terminal) with locat\$4 with (subnet sub\$1net) with table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:11
S148	48	locat\$4 near5 (subnet sub\$1net) near6 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/10 14:11

S149	0	locat\$4 near5 (subnet sub\$1net) near6 table near6 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:15
S150	63	(subnet sub\$1net) near6 table near6 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:16
S151	199	(subnet sub\$1net) near6 destination near6 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:24
S152	61	S151 and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:24
S153	2	S151 same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:25
S154	59	S151 and (access near3 point) and table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:26
S155	55	S151 same table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:26
S156	6	S155 and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:26
S157	16	destination near5 (subnet sub\$1net) near6 table near6 port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:28
S158	1	(US-20030012202-\$). did.	US-PGPUB	OR	OFF	2010/01/10 14:33
S159	0	S158 and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 14:33

S160	1	"10588456"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 15:49
S161	1	S160 and (product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 15:49
S162	0	S160 and (computer with product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 15:50
S163	1	S160 and (computer with program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 15:51
S164	606101	((KOICHI NEAR3 EBATA) NEC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:28
S165	5766	(transfer same destination).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:28
S166	335	S164 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:28
S167	5	(subordinate same transfer same destination).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:29
S168	3	S164 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:29
S169	51	(access same point same transfer same destination).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:30

S170	3	S164 and S169	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:30
S171	76	(managed same list\$4 same terminal).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:31
S172	3	S164 and S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/10 16:31
S173	4059	(port same address same terminal) same (rout\$5 transfer\$5 switch\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:13
S174	6797	370/338.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:13
S175	62	S173 and S174	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:13
S176	1	"10588456"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:21
S177	0	S176 and (readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:21
S178	1	S176 and (computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:21
S179	6031	(managed near5 terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/01/12 10:24

S180	135	S173 and S179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:24
S181	1985	(managed near5 terminal) same (monitoring management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:25
S182	67	S181 and (port same address same destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:25
S183	88	(managed near5 terminal) same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:27
S184	4	S183 and (port same address same destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:27
S185	640	(managed near5 terminal) and (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:27
S186	39	S185 and (port same address same destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:27
S187	889	(wireless near3 local near3 area near3 network) and (port same address same destination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:28
S188	153	(wireless near3 local near3 area near3 network) and (port same address same destination) and ((access near3 point) same terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2010/01/12

S189		(wireless near3 local near3 area near3 network) and (port same address same destination same terminal) and ((access near3 point) same terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:29
S190	330	(port near5 address near5 destination near5 terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:31
S191	16	S190 and (wireless near3 local near3 area near3 network) and ((access near3 point) same terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:32
S192	1640	(port same address same terminal) same (rout\$5 transfer\$5 switch\$5) same ((gateway near3 router) hub switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:34
S193	47	(port near5 address near5 destination near5 terminal) same (rout\$5 transfer\$5 switch\$5) same ((gateway near3 router) hub switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:34
S194	1	(port near5 address near5 destination near5 terminal) same (rout\$5 transfer\$5 switch\$5) same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:35
S195	2	(port near5 address near5 destination near5 terminal) same (table) same (access near3 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:36
S196	9	(port near5 address near5 destination near5 terminal) same (rout\$5 near5 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 10:36
S197	48	koichi near3 ebata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:42

S198	21223820	1"1" nec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:42
S199	628922	S197 nec	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:42
S200	39924	S197 (nec near3 corporation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:42
S201	488	(monitor\$5 same terminal same manag \$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:43
\$202	1	S197 and S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:43
S203	27	\$200 and \$201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/10 18:43
S204	2	US-20060195569-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/10 18:46
\$205	4	US-20060149814-\$. DID. OR US- 20060093125-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/10 18:47
S206	6	JP-2001136172-\$.DID. OR JP-8274804-\$.DID. OR JP-2002051066-\$. DID. OR US-2152002-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/10 18:49

3/10/2011 7:57:22 PM

C:\ Documents and Settings\ mmapa\ My Documents\ EAST\ Workspaces\ 10588456 RADIO NETWORK MONITOR DEVICE AND MONITOR SYSTEM.wsp